

SMART UND SWISS SEIT 1876

AS 1200 – Battery spray blower

Thanks to air support: Spray effectively and efficiently



The clever concept: Air-supported spraying with «Accu-Power»

A new dimension to plant protection: Spraying with pressure-controlled liquid supply into the air stream. A large spraying range can be achieved with pre-spraying and a variable air stream. A minimum loss of spray solution and a long reach is the result. The air stream also causes the targeted leaves to move, providing optimum wetting and penetration of foliage and shrubbery. The AS 1200, powered by an additional battery, is combined with a sprayer from the «Accu-Power» line. The spray blower is extremely powerful, easy to operate and impressively quiet.

Powerful and quiet performance

- Up to 6 hours of rechargeable battery power
- · Adjustable air speeds up to 65 m/s
- Additional power level
- Spray distance up to 13 meters
- Low noise emission
- · High energy efficiency

Unlimited uses

- Viticulture
- Fruit growing
- Gardening and landscaping
- Ornamental plant cultivation
- Nurseries
- Vegetable growing and much more...



Testimonials

Makes work easier

With pressure-controlled pre-spraying and an adjustable air stream, the AS 1200 achieves a maximum liquid transportation over the required distance.

- Adjustable air stream
- Defined pre-spraying
- Configurable flow rate
- Evenly distributed droplet spectrum
- Optimum target penetration
- High level of target area efficiency
- Improved use of active ingredients

One battery, many solutions CAS



- CAS * Unlimited combinations
- Cross-manufacturer compatibility for over 300 devices
- Different battery packs obtainable (up to 10 Ah)
- Charge level is displayed by LED lights
- 3 year guarantee with registration under www.birchmeier.com/3y
- * CAS (Cordless Alliance System is a cross-manufacturer battery pack system of leading power tool brands)

Added value by combining with the «Accu-Power» line



REX 15

«Accu-Power» line

Powerful, zero emission and quiet! Birchmeier cordless sprayer technology – Developed and produced in Switzerland.


Video www.birchmeier.com


Accessories

Fanjet attach-

ment

AS 1200 spray blower including battery, charger and battery carrier unit







| Volume flow | Max. 1200 m ³ /h |
|-------------------------|---|
| Blowing force | Max. 19 N |
| Range | 1 – 13 m |
| Airspeed levels | 1 – 5, plus turbo level (max.) |
| Airspeed | Up to 65 m/s |
| Pressure range | 0.5 – 10 bar |
| Battery | LiHD 2 x 18 V / 10.0 Ah (360 Wh) |
| Battery runing time | 25 min to max. 6 h (Blower level 1 - 5) |
| Battery charging time 1 | 70 min |
| Life span battery | Up to 1000 charging cycles |
| Weight | 3.5 kg |
| Dimension (L x W x H) | 464 x 160 x 304 mm |


Nozzle flow rates

| Nozzles | | 1 – 10 bar |
|---------|--|-------------------|
| | AITXA 8001 VK Art.No. 12049601 | 0.23 — 0.72 l/min |
| | AITXA 8002 VK Art.No. 12049701 | 0.46 – 1.44 l/min |
| | AITXA 8003 VK Art.No. 12049801 | 0.68 – 2.16 l/min |

| Optional disinfection nozzle | 1 – 10 bar |
|------------------------------|-------------------|
| Special nozzle NF 125 | 0.07 — 0.19 I/min |
| Art.No. 12094201 | (ca. 60 — 70 μm) |

¹ Charger ASC 145 DUO









Your Birchmeier distributor



BIRCHMEIER°

Birchmeier Sprühtechnik AG Im Stetterfeld 1 5608 Stetten Schweiz

> Telefon +41 56 485 81 81 Fax +41 56 485 81 82

www.birchmeier.com